

IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE

APPLICANT(S) EDWIN ODELL MINER

PATENT No.: 7,311,927

ISSUE DATE: DECEMBER 25, 2007

SERIAL No.: 10/527,655

FILING DATE: MARCH 14, 2005

TITLE: ANTISEPTIC SOLUTIONS CONTAINING SILVER CHELATED WITH
POLYPECTATE AND EDTA

ATTY. DKT. No.: 2190.2.1

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below:

Dated: February 5, 2008

By: /Brian C. Kunzler/

Brian C. Kunzler, Reg. No.:38,527

COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

ATTENTION: DECISION AND CERTIFICATE OF CORRECTION
BRANCH OF THE PATENT ISSUE DIVISION

REQUEST FOR CERTIFICATE OF CORRECTION

SIR:

The following errors, as more fully described below, appear in this patent.

- The Applicant submits that no fee is due for correction of the errors made by the Patent and Trademark Office; OR,

PATENT

X The errors occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A Certificate of Correction is requested. Enclosed herewith is payment in the amount of \$100.00 to cover the fee for this Certificate of Correction.

Attached hereto are duplicate Forms PTO-1050, with at least one copy that is suitable for printing.

Applicant kindly requests the following changes:

Column 2, Line 62

"the sliver ions" ---should read "the silver ions"

Column 3, Line 54

"form of amonium" ---should read "form of ammonium"

Column 5, Line 4

"100 nml of sterile PSS" ---should read "100 ml of sterile PSS"

Column 7, Line 2

"step of adding least" ---should read "step of adding at least"

Please send the Certificate to:

BRIAN C. KUNZLER
8 EAST BROADWAY, SUITE 600
SALT LAKE CITY, UTAH 84111

Respectfully submitted,
Brian C. Kunzler

DATED: FEBRUARY 5, 2008

BY: /BRIAN C. KUNZLER/

BRIAN C. KUNZLER, Reg. No.:38,527
8 East Broadway, Suite 600
Salt Lake City, Utah 84111
Telephone: (801) 994-4646

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,311,927

DATED : December 25, 2007

INVENTOR(S) : Edwin Odell Miner et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 62

“the sliver ions” ---should read “the silver ions”

Column 3, Line 54

“form of amonium” ---should read “form of ammonium”

Column 5, Line 4

“100 nml of sterile PSS” ---should read “100 mml of sterile PSS”

Column 7, Line 2

“step of adding least” ---should read “step of adding at least”

MAILING ADDRESS OF SENDER:

PATENT NO.:

No. of add'l copies
@50¢ per page